or and a second

## Refine Search

## Search Results -

| Term               | Documents |  |
|--------------------|-----------|--|
| (13 AND 6).USPT.   | 2         |  |
| (L13 AND L6).USPT. | 2         |  |

| Database: | US Pre-Grant Publication Full-T<br>US Patents Full-Text Database<br>US OCR Full-Text Database<br>EPO Abstracts Database<br>JPO Abstracts Database<br>Derwent World Patents Index<br>IBM Technical Disclosure Bulleti |       |               |
|-----------|--|-------|---------------|
| Search:   |  |       | Refine Search |
|           | Recall Text  | Clear | Interrupt     |

## Search History

DATE: Monday, May 10, 2004 Printable Copy Create Case

| Set Name Query side by side  DB=USPT; PLUR=YES; OP=ADJ |   | Hit Count            |  |
|--|---|----------------------|--|
|  |   |                      | result set                                       |
| <u>L14</u>   | 113 and 16  | 2                    | L14  |
| <u>L13</u>   | 112 and 18  | 7                    | <u>L13</u>                                       |
| <u>L12</u>   | 110 NEAR20 address\$  | . 8                  | <u>L13</u>                                       |
| <u>L11</u>   | 110 and 16 and 18   | 85                   | <u>L12</u>                                       |
| <u>L10</u>   | shift\$ NEAR20 "between" NEAR20 "layers"  | 2370                 | <u>L10</u>                                       |
| <u>L9</u>  | 17 and 18   | 36                   | <u>L10</u><br>L9                                 |
| <u>L8</u>  | @ad<19981021 or @rlad<19981021  | 2812181              | <u>L9</u><br><u>L8</u>                           |
| <u>L7</u>  | 15 and 16   | 43                   | <u>L8</u><br><u>L7</u>                           |
| <u>L6</u>  | 369/\$  | 45650                |  |
| <u>L5</u>  | (offset\$ or dislocat\$) NEAR20 "between" NEAR20 "layers"   | 2609                 | <u>L6</u>  |
| <u>L4</u>  | (offset\$ or dislocat\$) NEAR20 between NEAR20 address\$1 layers  |                      | <u>L5</u>  |
| <u>L3</u>  | (offset\$ or dislocat\$) NEAR20 "between" NEAR20 address\$1 NEAR20 I 1  |                      |  |
| <u>L2</u>  | (offset\$ or dislocat\$) NEAR20 between NEAR20 address\$1 NEAR20 11   | <del>-</del>         |  |
| L  | (information or record\$) NEAR10 layers   | · ·                  |  |
| <u>L3</u><br><u>L2</u>                                 | (offset\$ or dislocat\$) NEAR20 "between" NEAR20 address\$1 NEAR20 L1 (offset\$ or dislocat\$) NEAR20 between NEAR20 address\$1 NEAR20 11 | 0<br>0<br>0<br>45646 | <u>L4</u><br><u>L3</u><br><u>L2</u><br><u>L1</u> |

## END OF SEARCH HISTORY